



4 級 基 準 点 選 点 図

川原第三地区（TS測量）



S=1:5000




凡 例	
事 項	記 号
2級基準点	○
既設3級基準点	●
新設3級基準点	○
新設4級基準点	○
出来形確認測量区域	黄色線


作 業 年 度	作 業 種 類	座 標 系 番 号	測 量 計 画 機 関	作 業 実 施 機 関
平成19年度	4 級 基 準 点	IX 系	前橋市	(株)地測設計

平成19年度 川原第三地区

4級基準点測量 網図



S=1:5000



作業年度	作業種類	座標系番号	測量計画機関	測量作業機関
平成19年度	4級基準点	IX系	前橋市	㈱地測設計

基準点成果表

(座標系 9)

4級基準点

T001

	° , ″		m
B	36 25 40.7083	X	47 779.367✓
L	139 2 12.6033	Y	-71 418.805✓
N	0 28 22.8	H	125.192✓
		ジオイド高	41.911
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999963		
④	T002	° , ″ 160 26 13.9	m 63.761		
	② 川三②NO.3	351 25 24.2	57.912		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T002

	° , ' , ''		m
B	36 25 38.7650	X	47 719.288✓
L	139 2 13.4803	Y	-71 397.456✓
N	0 28 22.2	H	124.789✓
		シオ付高	41.910
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数 0.999963		
		° , ' , ''		m		
④	T009	88 33 22.8		73.970		
④	T003	152 32 51.4		41.616		
④	T001	340 26 13.8		63.761		

基準点成果表

(座標系 9)

4級基準点

T003

	° , ' , ''		m
B	36 25 37.5721	X	47 682.360✓
L	139 2 14.2627	Y	-71 378.271✓
N	0 28 21.7	H	124.516✓
		支柱高	41.908
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数 0.999963		
④ T012 ④ T004 ④ T002		° , ” 95 49 26.9 149 27 35.4 332 32 51.4		m 38.203 51.683 41.616		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T004

	° , ″		m
B	36 25 36.1350	X	47 637.848✓
L	139 2 15.3317	Y	-71 352.010✓
N	0 28 21.1	H	124.154✓
		ジオイド高	41.907
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999963				
④	T005	° , ″ 147 29 34.3	m 78.699				
	T003	329 27 35.4	51.683				
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T005

	° ' "		m
B	36 25 33.9933	X	47 571.482
L	139 2 17.0514	Y	-71 309.718
N	0 28 20.0	H	123.635
		ジ'木'高	41.905
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999963				
④	T006	° ' "	m				
		139 53 39.2	51.675				
④	T004	327 29 34.3	78.699				
埋 標 型 式		地 上	地 中	屋 上	標 識 番	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T006

	° , ' , ''		m
B	36 25 32.7200	X	47 531.959
L	139 2 18.4008	Y	-71 276.430
N	0 28 19.2	H	123.223
		ジ'オ'ト'高	41.903
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999963			
		° , ' , ''	m			
④	T018	76 41 15.4	59.460			
④	T007	140 29 23.5	71.830			
④	T005	319 53 39.1	51.675			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T007

	° ' "		m
B	36 25 30.9344	X	47 476.544✓
L	139 2 20.2537	Y	-71 230.733✓
N	0 28 18.1	H	122.754✓
		ジ'オ'ト'高	41.902
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④ T008 ④ T006		° ' '' 153 53 40.4 320 29 23.5	m 42.642 71.830		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T008

	° ' "		m
B	36 25 29.6972	X	47 438.253✓
L	139 2 21.0195	Y	-71 211.970✓
N	0 28 17.6	H	122.749✓
		シオ付高	41.900
		柱石長	

視準点の名称		平均方向角	距 離		備 考	
			縮 尺 係 数 0.999962			
		° ' "	m			
②	川三②NO.2	118 41 54.4	33.545			
④	T007	333 53 40.4	42.642			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T009

	° , ' , ''		m
B	36 25 38.8452	X	47 721.152✓
L	139 2 16.4482	Y	-71 323.512✓
N	0 28 20.5	H	124.428✓
		ジオイド高	41.909
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999963		
④	T010	° , ' , '' 95 44 17.7	m 69.831		
	T002	268 33 22.8	73.970		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T010

	° ' "		m
B	36 25 38.6373	X	47 714.170✓
L	139 2 19.2397	Y	-71 254.033✓
N	0 28 18.8	H	124.482✓
		ジオイド高	41.908
		柱石長	

視準点の名称		平均方向角		距 離		備 考
				縮 尺 係 数 0.999963		
④	T011	° , ” 88 25 27.4		m 54.071		
	④	T009	275 44 17.7		69.831	
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T011

	° ' "		m
B	36 25 38.7000	X	47 715.657
L	139 2 21.4090	Y	-71 199.984
N	0 28 17.5	H	126.293
		シオト高	41.908
		柱石長	

視準点の名称		平均方向角		距 離		備 考
				縮 尺 係 数 0.999962		
		° , ”		m		
④	T020	97 49 21.6		64.942		
④	T015	191 59 20.5		57.468		
④	T010	268 25 27.4		54.071		
③	川三③NO.3	312 54 24.6		29.567		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T012

	° , ' , ''		m
B	36 25 37.4565	X	47 678.483
L	139 2 15.7897	Y	-71 340.266
N	0 28 20.8	H	124.318
		ジオイド高	41.908
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考	
				縮 尺 係 数 0.999963			
④ T013		° , ' , '' 104 10 41.1		m 42.731			
④ T003		275 49 26.9		38.203			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T013

	° ' "		m
B	36 25 37.1280	X	47 668.017✓
L	139 2 17.4562	Y	-71 298.839✓
N	0 28 19.8	H	124.148✓
		ジ'オ'ト'高	41.907
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999963			
④ T014 ④ T016 ④ T012		° ' ''	m			
		87 11 29.0	50.288			
		162 59 7.0	40.643			
		284 10 41.1	42.731			
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T014

	° ' "		m
B	36 25 37.2214	X	47 670.481✓
L	139 2 19.4718	Y	-71 248.613✓
N	0 28 18.6	H	124.284✓
		ジオイド高	41.907
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999963				
④	T015	° , ” 106 44 28.2	m 38.317				
	T013	267 11 29.0	50.288				
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T015

	° ' "		m
B	36 25 36.8731	X	47 659.444✓
L	139 2 20.9484	Y	-71 211.921✓
N	0 28 17.8	H	124.339✓
		ジオイド高	41.906
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数 0.999962		
④ T011 ④ T027 ④ T019 ④ T014		° , ” 11 59 20.5 95 15 4.2 199 4 47.5 286 44 28.2		m 57.468 44.244 35.522 38.317		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T016

	° , ' , ''		m
B	36 25 35.8704	X	47 629.155✓
L	139 2 17.9465	Y	-71 286.946✓
N	0 28 19.5	H	123.833✓
		シオト高	41.906
		柱石長	

視準点の名称		平均方向角	距離		備考
			縮尺係数 0.999963		
④	T017	° , ' , '' 136 17 13.4	m 49.540		
	T013	342 59 7.0	40.643		
埋標型式	地上	地中	屋上	標識番 標石 金属標	

基準点成果表

(座標系 9)

4級基準点

T017

	° ' "		m
B	36 25 34.7179	X	47 593.348✓
L	139 2 19.3326	Y	-71 252.713✓
N	0 28 18.7	H	123.685✓
		シオ付高	41.905
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999963			
④	T019	° , ' , '' 41 53 44.3	m 43.700			
	T018	144 24 15.0	58.661			
	T016	316 17 13.4	49.540			
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T018

	° ' "		m
B	36 25 33.1796	X	47 545.650✓
L	139 2 20.7191	Y	-71 218.570✓
N	0 28 17.9	H	123.271✓
		ジオイド高	41.903
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数			
			0.999962			
		° , ″	m			
③	川三③NO.4	45 35 48.1	43.172			
④	T044	136 17 46.3	44.912			
④	T006	256 41 15.4	59.460			
④	T017	324 24 15.0	58.661			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T019

	° ' "		m
B	36 25 35.7809	X	47 625.875✓
L	139 2 20.4933	Y	-71 223.533✓
N	0 28 18.0	H	124.047✓
		ジオイド高	41.906
		柱石長	

視準点の名称		平均方向角		距 離		備 考
				縮 尺 係 数 0.999962		
④	T015	° , ” 19 4 47.4		m 35.522		
	T017	221 53 44.3		43.700		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T020

	° ' "		m
B	36 25 38.4304	X	47 706.818✓
L	139 2 23.9947	Y	-71 135.649✓
N	0 28 16.0	H	125.072✓
		ジオイド高	41.907
		柱石長	

視準点の名称		平均方向角		距 離		備 考
				縮 尺 係 数 0.999962		
④ T021 ④ T011		° , '' 97 41 22.7 277 49 21.6		m 56.637 64.942		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T021

	° ' "		m
B	36 25 38.1995	X	47 699.240✓
L	139 2 26.2504	Y	-71 079.524✓
N	0 28 14.6	H	125.383✓
		ジオイド高	41.906
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④ T022		° ' "	m		
		101 6 22.9	68.717		
④ T020		277 41 22.7	56.637		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号
					標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T022

	° , ' , ''		m
B	36 25 37.7880	X	47 686.003✓
L	139 2 28.9616	Y	-71 012.096✓
N	0 28 13.0	H	125.537✓
		ジオイド高	41.906
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④	T023	° , ' , '' 103 18 46.8	m 44.963		
	T021	281 6 22.9	68.717		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T023

	° ' "		m
B	36 25 37.4638	X	47 675.650✓
L	139 2 30.7215	Y	-70 968.343✓
N	0 28 12.0	H	125.257✓
		ジオイド高	41.905
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数	0.999962		
④	T024	° , ”	m			
		104 1 46.9	48.469			
④	T022	283 18 46.8	44.963			
埋 標 型 式	地 上	地 中	屋 上	標 識 番	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T024

	° , ' , ''		m
B	36 25 37.0951	X	47 663.900✓
L	139 2 32.6131	Y	-70 921.321✓
N	0 28 10.8	H	124.811✓
		ジ'オ'ト'高	41.904
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , ”	m		
④	T025	102 22 49.9	47.278		
④	T032	180 5 8.5	37.113		
④	T023	284 1 46.9	48.469		

基準点成果表

(座標系 9)

4級基準点

T025

	° ' "		m
B	36 25 36.7786	X	47 653.764✓
L	139 2 34.4702	Y	-70 875.145✓
N	0 28 9.7	H	124.333✓
		ジ'オト'高	41.904
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999962				
④ T026		° , ”	m				
		103 26 47.5	37.852				
④ T024		282 22 49.9	47.278				
埋 標 型 式		地 上	地 中	屋 上	標 識 番	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T026

	° ' "		m
B	36 25 36.5028	X	47 644.962✓
L	139 2 35.9509	Y	-70 838.332✓
N	0 28 8.9	H	123.881✓
		シオト高	41.903
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
③ 川三③NO.7 ④ T025		° , ''	m			
		103 52 57.7	74.784			
		283 26 47.5	37.852			
埋 標 型 式	地 上	地 中	屋 上	標 識 番	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T027

	° ' "		m
B	36 25 36.7535	X	47 655.395✓
L	139 2 22.7184	Y	-71 167.865✓
N	0 28 16.7	H	124.466✓
		ジ'オ'ト'高	41.906
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数		
				0.999962		
		° , ”		m		
④	T028	100 26 38.8		39.261		
④	T015	275 15 4.2		44.244		

基準点成果表

(座標系 9)

4級基準点

T028

	° ' "		m
B	36 25 36.5329	X	47 648.278✓
L	139 2 24.2707	Y	-71 129.255✓
N	0 28 15.8	H	124.619✓
		ジ'木'高	41.905
		柱石長	

視準点の名称		平均方向角	距離		備考		
			縮尺係数 0.999962				
④	T029	° ' "	m				
		103 51 47.1	55.846				
④	T027	280 26 38.8	39.261				
埋標型式		地上	地中	屋上	標識番	標石 金属標	

基準点成果表

(座標系 9)

4級基準点

T029

	° ' "		m
B	36 25 36.1133	X	47 634.898✓
L	139 2 26.4517	Y	-71 075.038✓
N	0 28 14.5	H	124.740✓
		ジメト高	41.905
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数		
			0.999962		
		° , ”	m		
④	T030	98 34 59.5	70.626		
④	T035	188 43 24.6	42.127		
④	T028	283 51 47.1	55.846		

基準点成果表

(座標系 9)

4級基準点

T030

	° ' "		m
B	36 25 35.7900	X	47 624.358✓
L	139 2 29.2586	Y	-71 005.206✓
N	0 28 12.8	H	124.979✓
		ジ'オ'ト'高	41.904
		柱石長	

視準点の名称		平均方向角	距離		備考	
			縮尺係数 0.999962			
④	T031	° ' "	m			
		88 1 37.0	42.384			
④	T029	278 34 59.4	70.626			
埋標型式	地上	地中	屋上	標識番	標石 金属標	

基準点成果表

(座標系 9)

4級基準点

T031

	° , ' , ''		m
B	36 25 35.8486	X	47 625.817✓
L	139 2 30.9585	Y	-70 962.848✓
N	0 28 11.8	H	125.037✓
		ジオイド高	41.903
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④	T032	° , ' , '' 88 39 27.4	m 41.484		
	④ T030	268 1 37.0	42.384		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T032

	° , ' , ''		m
B	36 25 35.8911	X	47 626.789✓
L	139 2 32.6231	Y	-70 921.377✓
N	0 28 10.8	H	124.793✓
		ジ'木'高	41.903
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , ′ , ″	m		
④	T024	0 5 8.5	37.113		
④	T033	159 52 25.0	45.882		
④	T031	268 39 27.4	41.484		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T033

	° , ' , ''		m
B	36 25 34.4978	X	47 583.711✓
L	139 2 33.2710	Y	-70 905.590✓
N	0 28 10.4	H	124.652✓
		ジオイド高	41.902
		柱石長	

視準点の名称		平均方向角	距 離		備 考
			縮 尺 係 数 0.999962		
④	T034	° , ' , '' 84 27 27.7	m 54.061		
	T032	339 52 25.0	45.882		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T034

	° ' "		m
B	36 25 34.6815	X	47 588.932✓
L	139 2 35.4293	Y	-70 851.783✓
N	0 28 9.1	H	124.480✓
		シオ付高	41.901
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数	0.999962		
		° , ″	m			
④	T052	93 34 47.1	42.489			
④	T050	179 29 47.6	30.128			
④	T033	264 27 27.7	54.061			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T035

	° , ' , ''		m
B	36 25 34.7608	X	47 593.260✓
L	139 2 26.2089	Y	-71 081.427✓
N	0 28 14.6	H	124.381✓
		ジオイド高	41.903
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④	T029	° , ' , '' 8 43 24.5	m 42.127		
	T039	106 18 17.0	56.294		
	T037	207 29 18.8	44.861		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T036

	° , ' , ''		m
B	36 25 33.7954	X	47 563.941✓
L	139 2 24.0771	Y	-71 134.771✓
N	0 28 15.9	H	124.155✓
		ジ'オ'ド'高	41.903
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
④	T037	° , ' , '' 107 47 43.1	m 34.279			
	③ 川三③NO.4	282 40 49.1	54.283			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T037

	° ' "		m
B	36 25 33.4642	X	47 553.465✓
L	139 2 25.3908	Y	-71 102.133✓
N	0 28 15.1	H	124.158✓
		ジオイド高	41.903
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° ' ''	m		
④	T035	27 29 18.8	44.861		
④	T038	113 43 41.8	71.474		
④	T036	287 47 43.1	34.279		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T038

	° , ' , ''		m
B	36 25 32.5486	X	47 524.705✓
L	139 2 28.0269	Y	-71 036.703✓
N	0 28 13.5	H	124.299✓
		ジオイド高	41.901
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
③	川三③NO.5	° , ' , '' 99 43 56.7	m 48.643		
④	T037	293 43 41.8	71.474		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T039

	° , ''		m
B	36 25 34.2624	X	47 577.456✓
L	139 2 28.3831	Y	-71 027.399✓
N	0 28 13.3	H	124.484✓
		ジ'オ'ト'高	41.903
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T040	° , '' 101 41 58.4	m 50.565	
	T035	286 18 17.0	56.294	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4級基準点

T040

	° , ' , ''		m
B	36 25 33.9430	X	47 567.203✓
L	139 2 30.3741	Y	-70 977.886✓
N	0 28 12.1	H	124.615✓
		シオト高	41.902
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④	T041	° , ' , '' 116 1 50.8	m 49.022		
	T039	281 41 58.4	50.565		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T041

	° ' "		m
B	36 25 33.2568	X	47 545.690✓
L	139 2 32.1495	Y	-70 933.838✓
N	0 28 11.1	H	124.636✓
		ジ'オ'ト'高	41.901
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999962				
④	T042	° , '' 108 31 20.0	m 28.957				
	④ T040	296 1 50.8	49.022				
埋 標 型 式		地 上	地 中	屋 上	標 識 番	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T042

	° ' "		m
B	36 25 32.9657	X	47 536.491✓
L	139 2 33.2547	Y	-70 906.382✓
N	0 28 10.4	H	124.563✓
		ジオイド高	41.900
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T043	° ' "	m	
		197 0 20.5	45.803	
④	T041	288 31 20.0	28.957	
埋標型式		地上	地中	屋上
		標識番	識号	標石 金属標

基準点成果表

(座標系 9)

4級基準点

T043

	° ' "		m
B	36 25 31.5412	X	47 492.693✓
L	139 2 32.7314	Y	-70 919.778✓
N	0 28 10.7	H	124.446✓
		シオト高	41.899
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④ T042 ④ T079 ④ T070 ③ 川三③NO.5	° ' "	17 0 20.4 116 5 51.7 203 47 10.5 289 1 36.8	m 45.803 69.519 69.182 72.974	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4級基準点

T044

	° ' "		m
B	36 25 32.1346	X	47 513.183✓
L	139 2 21.9755	Y	-71 187.540✓
N	0 28 17.1	H	123.216✓
		ジ'オ'ト'高	41.902
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
④ T045		° , ”	m			
		144 4 33.3	72.622			
④ T018		316 17 46.3	44.912			
埋 標 型 式		地 上	地 中	屋 上	標 識 番	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T045

	° ' "		m
B	36 25 30.2381	X	47 454.376✓
L	139 2 23.7053	Y	-71 144.933✓
N	0 28 16.1	H	123.026✓
		ジ'オ'ト'高	41.900
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
		° , "	m			
④	T046	36 37 39.6	47.972			
④	T063	109 21 49.3	85.328			
②	川三②NO.2	229 24 20.4	49.535			
④	T044	324 4 33.3	72.622			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T046

	° , ' , ''		m
B	36 25 31.4947	X	47 492.874✓
L	139 2 24.8415	Y	-71 116.314✓
N	0 28 15.4	H	123.567✓
		シオ付*高	41.901
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , ' , ''	m		
④	T047	100 14 22.2	38.554		
④	T045	216 37 39.6	47.972		

基準点成果表

(座標系 9)

4級基準点

T047

	° ' "		m
B	36 25 31.2825	X	47 486.020✓
L	139 2 26.3668	Y	-71 078.375✓
N	0 28 14.5	H	123.774✓
		ジ'オ'ト'高	41.900
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④ T048		° , ″ 108 47 53.2	m 37.508		
④ T046		280 14 22.2	38.554		

基準点成果表

(座標系 9)

4級基準点

T048

	° ' "		m
B	36 25 30.8998	X	47 473.935✓
L	139 2 27.7961	Y	-71 042.869✓
N	0 28 13.6	H	123.864✓
		ジ'オ'ト'高	41.900
		柱石長	

視準点の名称		平均方向角		距 離		備 考
				縮 尺 係 数 0.999962		
④ T049		° ' '' 96 46 29.5		m 31.440		
④ T047		288 47 53.2		37.508		

基準点成果表

(座標系 9)

4級基準点

T049

	° , ' , ''		m
B	36 25 30.7878	X	47 470.226✓
L	139 2 29.0506	Y	-71 011.650✓
N	0 28 12.9	H	123.981✓
		ジオイド高	41.899
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , ' , ''	m		
③	川三③NO.5	26 19 35.4	51.611		
④	T067	196 4 39.1	33.302		
④	T048	276 46 29.5	31.440		
		</			

基準点成果表

(座標系 9)

4級基準点

T050

	° ' "		m
B	36 25 33.7042	X	47 558.807✓
L	139 2 35.4499	Y	-70 851.518✓
N	0 28 9.1	H	124.215✓
		シ'木'高	41.901
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④	T051	° , ” 164 23 8.1	m 40.108		
	T034	359 29 47.6	30.128		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T051

	° ' "		m
B	36 25 32.4539	X	47 520.181✓
L	139 2 35.8959	Y	-70 840.723✓
N	0 28 8.8	H	123.793✓
		ジ'オ'ト'高	41.899
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
		° , ”	m			
④	T082	131 22 20.0	41.672			
④	T079	195 58 35.1	60.404			
④	T050	344 23 8.1	40.108			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T052

	° , ''		m
B	36 25 34.6067	X	47 586.279✓
L	139 2 37.1325	Y	-70 809.379✓
N	0 28 8.1	H	124.033✓
		シオト高	41.901
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T053	° , '' 152 23 2.2	m 50.933	
④	T034	273 34 47.1	42.489	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4級基準点

T053

	° ' "		m
B	36 25 33.1489	X	47 541.150✓
L	139 2 38.0951	Y	-70 785.770✓
N	0 28 7.5	H	123.469✓
		ジ'木'高	41.900
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999962				
④	T054	° , ” 139 2 57.2	m 52.659				
	④ T052	332 23 2.2	50.933				
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4 級基準点

T054

	° , ' , ''		m
B	36 25 31.8678	X	47 501.380✓
L	139 2 39.4936	Y	-70 751.259✓
N	0 28 6.7	H	123.302✓
		ジオイド高	41.898
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数 0.999962		
④ T055		° , ' , '' 63 11 22.6		m 48.130		
④ T053		319 2 57.2		52.659		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T055

	° ' "		m
B	36 25 32.5834	X	47 523.088✓
L	139 2 41.2109	Y	-70 708.304✓
N	0 28 5.7	H	121.950✓
		ジバト*高	41.898
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
		° , ”	m			
④	T058	145 53 44.3	40.942			
④	T054	243 11 22.6	48.130			
④	T057	324 44 33.8	50.085			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T056

	° ' "		m
B	36 25 34.8123	X	47 592.147
L	139 2 39.4487	Y	-70 751.636
N	0 28 6.8	H	122.645
		ジ'木'高	41.901
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T057	° ' "	m	
		152 52 58.7	31.641	
③	川三③NO.7	337 59 7.1	37.618	
埋標型式		地上	地中	屋上
		標識番	標石金属標	

基準点成果表

(座標系 9)

4級基準点

T057

	° ' "		m
B	36 25 33.9025	X	47 563.985✓
L	139 2 40.0369	Y	-70 737.214✓
N	0 28 6.4	H	122.200✓
		ジ'オ'ト'高	41.900
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , ”	m		
④	T055	144 44 33.8	50.085		
④	T056	332 52 58.7	31.641		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T058

	° ' "		m
B	36 25 31.4897	X	47 489.189✓
L	139 2 42.1435	Y	-70 685.348✓
N	0 28 5.1	H	121.608✓
		シ'木'高	41.897
		柱石長	

視準点の名称		平均方向角	距離		備考
			縮尺係数		
			0.999962		
		° ' "	m		
③	川三③NO.8	143 38 11.1	43.317		
④	T055	325 53 44.3	40.942		
					</

基準点成果表

(座標系 9)

4級基準点

T059

	° , ' , ''		m
B	36 25 28.0591	X	47 387.159✓
L	139 2 23.9804	Y	-71 138.633✓
N	0 28 15.9	H	122.462✓
		ジメト*高	41.898
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T060	° , ' , '' 131 36 33.5	m 67.239	
②	川三②NO.2	308 32 40.6	56.148	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4級基準点

T060

	° ' "		m
B	36 25 26.6241	X	47 342.511✓
L	139 2 26.0132	Y	-71 088.361✓
N	0 28 14.6	H	122.476✓
		ジ'杯*高	41.897
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T061	° ' "	m	
		123 37 28.8	82.808	
④	T059	311 36 33.5	67.239	
埋標型式		地上	地中	屋上
		標識番	標石 金属標	

基準点成果表

(座標系 9)

4級基準点

T061

	° ' "		m
B	36 25 25.1549	X	47 296.658✓
L	139 2 28.7962	Y	-71 019.411✓
N	0 28 13.0	H	122.594✓
		ジ'木'高	41.895
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , ”	m		
④	T062	129 11 10.0	67.473		
④	T060	303 37 28.8	82.808		

基準点成果表

(座標系 9)

4級基準点

T062

	° ' "		m
B	36 25 23.7857	X	47 254.028✓
L	139 2 30.9096	Y	-70 967.115✓
N	0 28 11.7	H	122.441✓
		シオト高	41.893
		柱石長	

視準点の名称		平均方向角		距離		備考
				縮尺係数 0.999962		
		° , ″		m		
④	T073	10 13 40.9		44.264		
②	川三②NO.1	138 2 42.9		54.753		
④	T061	309 11 10.0		67.473		
埋標型式		地上	地中	屋上	標識番 標石 金属標	

基準点成果表

(座標系 9)

4級基準点

T063

	° ' "		m
B	36 25 29.3418	X	47 426.086
L	139 2 26.9462	Y	-71 064.435
N	0 28 14.1	H	123.296
		ジ'材'高	41.899
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T067	° ' "	m	
		74 25 32.8	45.225	
④	T045	289 21 49.3	85.328	
埋標型式		地上	地中	屋上
		標識番	標石 金属標	

基準点成果表

(座標系 9)

4級基準点

T064

	° , ′ , ″		m
B	36 25 28.4225	X	47 397.507
L	139 2 28.1496	Y	-71 034.692
N	0 28 13.4	H	123.281
		ジオイド高	41.898
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T067	° , ′ , ″ 18 44 46.9	m 43.004	
④	T065	198 46 51.4	61.278	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4級基準点

T065

	° , ' , ''		m
B	36 25 26.5352	X	47 339.494
L	139 2 27.3768	Y	-71 054.420
N	0 28 13.8	H	122.812
		シオト高	41.896
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T064	° , ' , '' 18 46 51.4	m 61.278	
④	T066	100 14 43.0	56.890	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4級基準点

T066

	° ' "		m
B	36 25 26.2219	X	47 329.375//
L	139 2 29.6274	Y	-70 998.439//
N	0 28 12.5	H	123.177✓
		ジオイド高	41.895
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
④	T069	° ' "	m			
		6 16 51.4	46.561			
	T072	83 30 17.1	41.191			
④	T065	280 14 43.0	56.890			
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T067

	° , ' "		m
B	36 25 29.7473	X	47 438.228//
L	139 2 28.6910	Y	-71 020.872//
N	0 28 13.1	H	123.666✓
		シオ付*高	41.899
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , ”	m		
④	T049	16 4 39.1	33.302		
④	T068	111 13 1.9	39.166		
④	T064	198 44 46.9	43.004		
④	T063	254 25 32.8	45.225		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T068

	° ' "		m
B	36 25 29.2972	X	47 424.054//
L	139 2 30.1613	Y	-70 984.362//
N	0 28 12.2	H	123.936//
		シオト高	41.898
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999962				
④	T069	° ' "	m				
		190 30 54.9	49.227				
④	T067	291 13 1.9	39.166				
埋 標 型 式		地 上	地 中	屋 上	標 識 番	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T069

	° ' "		m
B	36 25 27.7246	X	47 375.655✓
L	139 2 29.8166	Y	-70 993.346✓
N	0 28 12.4	H	123.515✓
		ジ'オ'ト'高	41.897
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
④ T068		° , ”	m			
		10 30 54.9	49.227			
④ T066		186 16 51.4	46.561			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 番 号 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T070

	° , ' , ''		m
B	36 25 29.4801	X	47 429.390✓
L	139 2 31.6321	Y	-70 947.679✓
N	0 28 11.3	H	124.219✓
		シオト高	41.898
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数 0.999962		
④ T043 ④ T074 ④ T071		° , ' , '' 23 47 10.5 95 24 13.7 188 31 42.8		m 69.182 55.700 48.005		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T071

	° ' "		m
B	36 25 27.9381	X	47 381.917✓
L	139 2 31.3620	Y	-70 954.798✓
N	0 28 11.5	H	123.628✓
		シオト高	41.897
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
④ T070		° ' "	m			
		8 31 42.8	48.005			
④ T072		183 14 47.5	47.961			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T072

	° ' "		m
B	36 25 26.3839	X	47 334.035//
L	139 2 31.2687	Y	-70 957.514//
N	0 28 11.5	H	123.037//
		ジオイド高	41.895
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , ”	m		
④	T071	3 14 47.5	47.961		
④	T073	182 44 7.4	36.491		
④	T066	263 30 17.1	41.191		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号
					標 石 金属標

基準点成果表

(座標系 9)

4級基準点

T073

	° , ' , ''		m
B	36 25 25.2010	X	47 297.586✓
L	139 2 31.2108	Y	-70 959.256✓
N	0 28 11.5	H	122.705✓
		ジ'オ'ト'高	41.894
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
④	T072	° , ' , '' 2 44 7.4	m 36.491			
④	T062	190 13 40.9	44.264			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T074

	° , ' , ''		m
B	36 25 29.3246	X	47 424.144
L	139 2 33.8598	Y	-70 892.229
N	0 28 10.0	H	123.772
		ジ'木'高	41.897
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
④ T075		° , ' , ''	m			
		192 46 32.9	45.042			
④ T070		275 24 13.7	55.700			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T075

	° ' "		m
B	36 25 27.8970	X	47 380.219
L	139 2 33.4744	Y	-70 902.189
N	0 28 10.2	H	123.238
		シオト高	41.896
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T074	° ' "	m	
		12 46 32.9	45.042	
④	T076	176 31 17.0	52.527	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4級基準点

T076

	° ' "		m
B	36 25 26.1969	X	47 327.792//
L	139 2 33.6196	Y	-70 899.002//
N	0 28 10.1	H	122.510✓
		シオト高	41.895
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999962				
④	T077	° , ” 97 54 10.6	m 27.971				
	T075	356 31 17.0	52.527				
埋 標 型 式		地 上	地 中	屋 上	標 識 番	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T077

	° ' "		m
B	36 25 26.0795	X	47 323.946✓
L	139 2 34.7330	Y	-70 871.298✓
N	0 28 9.5	H	121.805✓
		シオト高	41.894
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° ' ''	m		
④	T116	10 13 8.6	75.994		
④	T078	68 28 12.5	42.816		
④	T090	186 24 40.0	45.393		
④	T076	277 54 10.6	27.971		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T078

	° ' "		m
B	36 25 26.5999	X	47 339.658✓
L	139 2 36.3267	Y	-70 831.471✓
N	0 28 8.5	H	121.744✓
		ジ'オ'ト'高	41.894
		柱石長	

視準点の名称		平均方向角		距離		備考	
				縮尺係数 0.999962			
③ 川三③NO.6 ④ T077		° , '' 60 38 47.6 248 28 12.5		m 55.688 42.816			
埋標型式		地上	地中	屋上	標識番	標石 金属標	

基準点成果表

(座標系 9)

4級基準点

T079

	° ' "		m
B	36 25 30.5657	X	47 462.112✓
L	139 2 35.2476	Y	-70 857.348✓
N	0 28 9.2	H	123.069✓
		ジ'木'高	41.898
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考	
				縮 尺 係 数 0.999962			
④ T051 ④ T080 ④ T043		° , ” 15 58 35.1 141 59 52.5 296 5 51.7		m 60.404 41.781 69.519			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T080

	° ' "		m
B	36 25 29.5044	X	47 429.191✓
L	139 2 36.2910	Y	-70 831.625✓
N	0 28 8.6	H	122.395✓
		ジ'オ'ト'高	41.897
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999962				
		° ' ''	m				
④	T081	151 34 55.7	45.506				
④	T116	220 41 28.7	40.173				
④	T079	321 59 52.5	41.781				
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T081

	° ' "		m
B	36 25 28.2118	X	47 389.169✓
L	139 2 37.1735	Y	-70 809.970✓
N	0 28 8.0	H	121.692✓
		シ'木'高	41.895
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数	0.999962	
③	川三③NO.6	° ' "	m		
		129 24 33.9	34.992		
④	T080	331 34 55.7	45.506		

基準点成果表

(座標系 9)

4級基準点

T082

	° ' "		m
B	36 25 31.5687	X	47 492.639✓
L	139 2 37.1603	Y	-70 809.453✓
N	0 28 8.1	H	123.272✓
		ジ'オ'ト'高	41.898
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
		° , ”	m			
④	T083	154 22 17.9	29.271			
④	T051	311 22 20.0	41.672			
埋 標 型 式		地 上	地 中	屋 上	標 識 番	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T083

	° ' "		m
B	36 25 30.7159	X	47 466.249✓
L	139 2 37.6772	Y	-70 796.793✓
N	0 28 7.8	H	122.919✓
		ジ'木'高	41.898
		柱石長	

視準点の名称		平均方向角	距離		備考	
			縮尺係数 0.999962			
④ T084		° , '' 140 46 10.7	m 38.702			
④ T082		334 22 17.9	29.271			
埋標型式		地上	地中	屋上	標識番	標石 金属標

基準点成果表

(座標系 9)

4級基準点

T084

	° ' "		m
B	36 25 29.7499	X	47 436.271✓
L	139 2 38.6696	Y	-70 772.317✓
N	0 28 7.2	H	122.468✓
		シオト高	41.897
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④ T085 ④ T083		° , '' 55 14 20.6 320 46 10.7	m		
			47.407		
			38.702		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T085

	° , ' , ''		m
B	36 25 30.6371	X	47 463.299✓
L	139 2 40.2241	Y	-70 733.372✓
N	0 28 6.3	H	123.102✓
		シオト高	41.897
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④	T086	° , ' , '' 136 10 5.7	m 52.511		
	④ T084	235 14 20.7	47.407		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T086

	° ' "		m
B	36 25 29.4178	X	47 425.420✓
L	139 2 41.6964	Y	-70 697.007✓
N	0 28 5.4	H	122.244✓
		ジオイド高	41.896
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , ”	m		
③	川三③NO.8	52 16 25.1	47.213		
④	T088	239 6 30.3	28.544		
④	T085	316 10 5.6	52.511		
			</		

基準点成果表

(座標系 9)

4級基準点

T087

	° ' "		m
B	36 25 28.4079	X	47 394.675✓
L	139 2 39.8151	Y	-70 744.122✓
N	0 28 6.5	H	121.952✓
		ジ'オ'ト'高	41.895
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T088	° ' " 54 34 26.6	m 27.761	
③	川三③NO.6	234 27 59.3	47.697	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4級基準点

T088

	° ' "		m
B	36 25 28.9359	X	47 410.766✓
L	139 2 40.7179	Y	-70 721.501✓
N	0 28 5.9	H	122.141✓
		ジオイド高	41.895
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T086	° ' "	m	
		59 6 30.3	28.544	
④	T087	234 34 26.6	27.761	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4 級基準点

T089

	° , ' , ''		m
B	36 25 24.1715	X	47 265.449
L	139 2 33.2007	Y	-70 909.949
N	0 28 10.3	H	121.790
		ジメト* 高	41.893
		柱石長	

視準点の名称		平均方向角	距離		備考		
			縮尺係数 0.999962				
④	T090	° , ' , '' 68 15 46.0	m 36.154				
	② 川三②NO.1	201 31 27.9	56.049				
埋標型式		地上	地中	屋上	標識番	標石 金属標	

基準点成果表

(座標系 9)

4級基準点

T090

	° ' "		m
B	36 25 24.6148	X	47 278.838✓
L	139 2 34.5444	Y	-70 876.367✓
N	0 28 9.6	H	121.380✓
		ジ'木*高	41.893
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数 0.999962		
		° , ″		m		
④	T077	6 24 40.0		45.393		
④	T091	88 48 32.1		41.602		
④	T108	178 43 57.8		37.597		
④	T089	248 15 46.0		36.154		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T091

	° , ' , ''		m
B	36 25 24.6539	X	47 279.703✓
L	139 2 36.2137	Y	-70 834.776✓
N	0 28 8.6	H	121.029✓
		ジオイド高	41.893
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , ' , ''	m		
④	T092	63 22 14.2	45.709		
④	T102	151 33 27.9	46.896		
④	T090	268 48 32.1	41.602		

基準点成果表

(座標系 9)

4級基準点

T092

	° ' "		m
B	36 25 25.3294	X	47 300.190✓
L	139 2 37.8472	Y	-70 793.917✓
N	0 28 7.6	H	121.190✓
		支柱高	41.893
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④	T094	° , ” 68 17 31.0	m 46.105		
	④ T091	243 22 14.2	45.709		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T093

	° ' "		m
B	36 25 26.6718	X	47 341.416✓
L	139 2 38.5797	Y	-70 775.333✓
N	0 28 7.2	H	121.495✓
		ジ'オ'ト'高	41.894
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999962	
④	T094	° ' "	m	
		134 54 42.3	34.242	
③	川三③NO.6	343 25 24.1	26.647	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4級基準点

T094

	° ' "		m
B	36 25 25.8940	X	47 317.242✓
L	139 2 39.5611	Y	-70 751.084✓
N	0 28 6.6	H	121.479✓
		ジオイド高	41.893
		柱石長	

視準点の名称		平均方向角		距離		備考
				縮尺係数 0.999962		
		° ' "		m		
④	T095	42 16 42.4		53.074		
④	T104	143 22 50.0		44.152		
④	T092	248 17 31.0		46.105		
④	T093	314 54 42.2		34.242		
埋標型式		地上	地中	屋上	標識番 標石 金属標	

基準点成果表

(座標系 9)

4級基準点

T095

	° ' "		m
B	36 25 27.1773	X	47 356.509
L	139 2 40.9814	Y	-70 715.381
N	0 28 5.8	H	121.499
		支柱高	41.894
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
④ T096		° , ”	m			
		54 34 30.9	24.495			
④ T094		222 16 42.4	53.074			
埋 標 型 式		地 上	地 中	屋 上	標 識 番	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T096

	° ' "		m
B	36 25 27.6432	X	47 370.706✓
L	139 2 41.7780	Y	-70 695.421✓
N	0 28 5.3	H	121.535✓
		ジ'オ'ト'高	41.894
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④	T097	° ' "	m		
		62 3 45.5	30.614		
④	T095	234 34 30.9	24.495		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T097

	° ' "		m
B	36 25 28.1157	X	47 385.049✓
L	139 2 42.8590	Y	-70 668.376✓
N	0 28 4.7	H	121.558✓
		シオト高	41.894
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考	
				縮 尺 係 数 0.999962			
④ T098		° ' '' 155 4 14.1		m 27.188			
④ T096		242 3 45.6		30.614			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T098

	° ' "		m
B	36 25 27.3189	X	47 360.395✓
L	139 2 43.3271	Y	-70 656.917✓
N	0 28 4.4	H	121.149✓
		ジボト*高	41.893
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数 0.999961		
④ T100 ④ T107 ④ T097		° , '' 55 10 11.8 133 5 58.7 335 4 14.1		m 51.048 25.116 27.188		
埋 標 型 式	地 上	地 中	屋 上	標 識 番	標 石 金属標	

基準点成果表

(座標系 9)

4級基準点

T099

	° , ″		m
B	36 25 29.3337	X	47 422.335
L	139 2 44.1228	Y	-70 636.591
N	0 28 3.9	H	120.931
		シオト高	41.895
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999961				
④	T100	° , ″ 146 39 3.4	m 39.249				
	③ 川三③NO.8	324 10 56.6	39.432				
埋 標 型 式		地 上	地 中	屋 上	標 識 番	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T100

	° , "		m
B	36 25 28.2759	X	47 389.550✓
L	139 2 44.9996	Y	-70 615.015✓
N	0 28 3.4	H	120.656✓
		ジ'オト'高	41.894
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数 0.999961		
		° , ”		m		
④	T101	146 0 16.6		41.613		
④	T098	235 10 11.8		51.048		
④	T099	326 39 3.4		39.249		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T101

	° ' "		m
B	36 25 27.1628	X	47 355.050✓
L	139 2 45.9449	Y	-70 591.749✓
N	0 28 2.8	H	120.390✓
		ジ'オ'ト'高	41.893
		柱石長	

視準点の名称		平均方向角	距離	備考
			縮尺係数 0.999961	
③	川三③NO.2	° ' "	m	
		144 55 8.1	39.907	
④	T100	326 0 16.6	41.613	
埋標型式	地上	地中	屋上	標識番 標石 金属標

基準点成果表

(座標系 9)

4級基準点

T102

	° , ' , ''		m
B	36 25 23.3221	X	47 238.469✓
L	139 2 37.1238	Y	-70 812.441✓
N	0 28 8.0	H	120.725✓
		ジメト高	41.891
		柱石長	

視準点の名称		平均方向角		距離		備考
				縮尺係数 0.999962		
		° , ' , ''		m		
④	T103	70 21 12.5		55.015		
④	T091	331 33 27.9		46.896		

基準点成果表

(座標系 9)

4級基準点

T103

	° ' "		m
B	36 25 23.9359	X	47 256.965✓
L	139 2 39.1976	Y	-70 760.631✓
N	0 28 6.8	H	120.985✓
		ジ'オ'ト'高	41.891
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④ T104		° , ”	m		
		55 18 18.4	43.644		
		250 21 12.5	55.015		
④ T102					

基準点成果表

(座標系 9)

4級基準点

T104

	° ' "		m
B	36 25 24.7513	X	47 281.807//
L	139 2 40.6299	Y	-70 724.749//
N	0 28 5.9	H	121.189//
		ジオイド高	41.892
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
		° , "	m		
④	T105	54 2 21.4	45.396		
④	T113	153 50 32.2	46.144		
④	T103	235 18 18.4	43.644		
④	T094	323 22 50.0	44.152		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T105

	° ' "		m
B	36 25 25.6259	X	47 308.464//
L	139 2 42.0961	Y	-70 688.005//
N	0 28 5.1	H	121.061//
		ジオイド高	41.892
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考		
			縮 尺 係 数 0.999962				
④	T106	° , ” 43 45 12.4	m 26.668				
	T104	234 2 21.4	45.396				
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T106

	° , ' , ''		m
B	36 25 26.2557	X	47 327.726//
L	139 2 42.8301	Y	-70 669.564//
N	0 28 4.7	H	120.941//
		シオト高	41.893
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数 0.999962		
④ T107		° , ' , '' 63 24 35.4		m 34.651		
④ T105		223 45 12.4		26.668		

基準点成果表

(座標系 9)

4級基準点

T107

	° , ' , ''		m
B	36 25 26.7671	X	47 343.235✓
L	139 2 44.0689	Y	-70 638.579✓
N	0 28 3.9	H	120.760✓
		シオト高	41.893
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999961		
④	T106	° , ' , '' 243 24 35.4	m 34.651		
	T098	313 5 58.7	25.116		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T108

	° , ' , ''		m
B	36 25 23.3956	X	47 241.251
L	139 2 34.5901	Y	-70 875.535
N	0 28 9.5	H	121.196
		シオト高	41.892
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999962		
④ T109 ④ T090		° , ' , '' 185 16 58.6 358 43 57.8	m 46.037 37.597		
埋 標 型 式	地 上	地 中	屋 上	標 識 番	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T109

	° ' "		m
B	36 25 21.9073	X	47 195.411
L	139 2 34.4351	Y	-70 879.774
N	0 28 9.6	H	120.967
		ジ'オ'ト'高	41.891
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
		° ' ''	m			
④	T108	5 16 58.6	46.037			
④	T110	89 14 56.1	38.971			
②	川三②NO.1	289 25 56.0	53.805			
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T110

	° ' "		m
B	36 25 21.9342	X	47 195.922//
L	139 2 35.9991	Y	-70 840.808//
N	0 28 8.7	H	120.546//
		ジオイド高	41.890
		柱石長	

視準点の名称		平均方向角		距離		備考
				縮尺係数 0.999962		
④	T111	° ' "		m		
		87 51 32.3		35.749		
④	T109	269 14 56.1		38.971		
埋標型式		地上	地中	屋上	標識番	標石 金属標

基準点成果表

(座標系 9)

4級基準点

T111

	° , ' , ''		m
B	36 25 21.9871	X	47 197.258
L	139 2 37.4326	Y	-70 805.086
N	0 28 7.8	H	120.287
		ジオイド高	41.890
		柱石長	

視 準 点 の 名 称		平 均 方 向 角		距 離		備 考
				縮 尺 係 数 0.999962		
④ T112 ④ T110		° , ' , '' 75 44 2.0 267 51 32.3		m 54.242 35.749		
埋 標 型 式		地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T112

	° ' "		m
B	36 25 22.4346	X	47 210.624
L	139 2 39.5385	Y	-70 752.518
N	0 28 6.6	H	120.178
		ジオイド高	41.890
		柱石長	

視準点の名称		平均方向角	距 離		備 考	
			縮 尺 係 数 0.999962			
④	T113	° ' "	m			
		58 15 17.6	56.577			
④	T111	255 44 2.0	54.242			
埋 標 型 式		地 上	地 中	屋 上	標 識 番	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T113

	° , ' , ''		m
B	36 25 23.4131	X	47 240.390✓
L	139 2 41.4600	Y	-70 704.407✓
N	0 28 5.4	H	120.133✓
		ジオイド高	41.890
		柱石長	

視準点の名称		平均方向角		距 離		備 考
				縮 尺 係 数 0.999962		
④ T114 ④ T112 ④ T104		° , ' , '' 54 36 36.6 238 15 17.7 333 50 32.2		m 60.874 56.577 46.144		
埋 標 型 式	地 上	地 中	屋 上	標 識 番	標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T114

	° , ''		m
B	36 25 24.5699	X	47 275.643✓
L	139 2 43.4406	Y	-70 654.783✓
N	0 28 4.3	H	120.219✓
		ジ'オト'高	41.891
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考
			縮 尺 係 数 0.999961		
④	T115	° , '' 52 27 48.7	m 47.128		
	T113	234 36 36.6	60.874		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 標 石 金 属 標	

基準点成果表

(座標系 9)

4級基準点

T115

	° , ' , ''		m
B	36 25 25.5113	X	47 304.356
L	139 2 44.9313	Y	-70 617.413
N	0 28 3.4	H	120.042
		ジ'オ'ト'高	41.891
		柱石長	

視準点の名称		平均方向角	距 離		備 考
			縮 尺 係 数 0.999961		
③	川三③NO.2	° , ' , '' 69 38 12.6	m 51.841		
	④ T114	232 27 48.7	47.128		
埋 標 型 式	地 上	地 中	屋 上	標 識 番 号	標 石 金 属 標

基準点成果表

(座標系 9)

4級基準点

T116

	° ' "		m
B	36 25 28.5093	X	47 398.731✓
L	139 2 35.2496	Y	-70 857.817✓
N	0 28 9.2	H	122.442✓
		ジバト高	41.896
		柱石長	

視 準 点 の 名 称		平 均 方 向 角	距 離		備 考	
			縮 尺 係 数 0.999962			
④	T080	° , ” 40 41 28.7	m 40.173			
	T077	190 13 8.7	75.994			
埋 標 型 式	地 上	地 中	屋 上	標 識 番	標 石 金 属 標	